WEEKLY NEWSPAPER OF ALL

PUBLISHED BY N. D. C. HODGES, 874 BROADWAY,

TENTH YEAR. Vol. XIX. No. 479.

FEBRUARY 19, 1892.

AND SCIENCES.

SINGLE CORIES, TEN CENTS. 43.50 PER YEAR, IN ADVANCE.

CONTENTS.

POTICE OF NEW GIGANTIC FORSILS. IV. 1018 H. Barbour. 1018/11MATION OF THE DISCOVERY OF THE INFLUENCE BACKLUS. A. Mac-	90
Donald	100
North ASD NEWS	
FARRICS. George S. Hale	
POUNDS OF ARRESTS. Dr. B. Goods.	104
A PROBLEM IN PRIVAICS. H. A. Hasen.	40 D 2
PROFESSION GRIEFE OF THE GLACIAL PRILIDE	
The Loup Rivers in Nebraska: W.	
Origin of the Frigid Period in the Northern Hemisphere. O. A. M. Taber.	108
Electricity in Agriculture George	
AMONO THE PUBLISHERS	100
CALENDAR OF SOCIETIES	
Estered at the Post-Office of New York, N.Y., Second-Cines Mail Matter.	**

Peabody, Houghteling & Co. EGGOW MADIASM BANKERS

59 Dearborn Street, Chicago, Illinois, LOANS AND INVESTMENTS ON REAL ESTATE SECURITY EXCLUSIVELY.

CHICAGO CITY MORTGAGES FOR SALE.

For the convenience of investors we carry from \$200,000 to \$500,000 of choice mortgages at all times. These loans are made by us after careful investigation of the titles, the value of the securities offered and responsibility of borrowers. In transacting a business of over \$70,000,000, no title approved by us has ever been successfully attacked.

IN ANY AMOUNT.

These leans vary in amount from \$500 to \$50,000, and bear from 5 per cent. to 7 per cent. interest, payable semi-annually at our office, or at such place as investor may elect. The standard rate on ordinary amounts, say \$5,000 to \$10,000, being 6 per cent.; smaller leans, 6 per cent. and 7 per cent.; large leans, on exceptionally strong security, 5 per cent. and 6 per cent.

AT PAR AND ACCRUED INTEREST.

Those securities are ready for delivery, and are on sale at par and accrued interest. No mission is charged the buyer, the income named being net.

INVESTORS' INTERESTS CARED FOR WITHOUT CHARGE.

We collect all interest and remit to any part of the country free of charge. We see that all insurance policies pledged as collateral security are renewed at expiration, and that the investor is protected in case of failure on the part of the borrower to pay taxes. In other words, we act as financial agents for the investor without charge. Parties buying mortgages securing building loans, where the buildings are not fully completed, are guaranteed completion free of mechanic's liens.

FALLS.

THE WASHINGTON FIRE CLAY COMPANY,

A corporation duly organized with a capital stock of \$500,000.00, and doing business under the Laws of the State of Washington, have secured several hundred acres of land containing extensive deposits of Fine Crax, the only first-class deposit yet discovered in this State. It has crected an extensive plant for the manufacture of Fire Brick, Fire Proofing, Sait-Glazed Sewer Pipe, Culvert Pipe, Flue Linings, etc. This clay has been thoroughly tested at a great expense by the best clay workers in America, and is pronounced of superior quality, suitable for the manufacture of all clay products where a good refractory clay is required. This plant is equipped with the latest improved machinery and appliances. It will be in full operation by March 1st next, and will give employment to at least one hundred men.

The Company also contemplates the erection in the near future of a plant for the

The Company also contemplates the erec-tion in the near future of a plant for the manufacture of Vitrified Brick for street paving, which will employ more men than the one described above.

Several fine springs of water run through the property, sufficient to supply a city of 100,000 people. Its source is of sufficient elevation to place the water wherever needed by its own gravity.

LOCATION.

This Company have also secured a large tract of land in the south part of Lewis County, 78 miles south of Tacoma, Washington, and just half way between that place and Portland, Oregon, on the lines of the Northern Pacific and Union Pacific railroads, at the junction of Stillwater and Olegua creeks, with the Cowlitz river skirting one side, have laid out, platted and dedicated a townsite called LITTLE FALLS. This townsite consists of six hundred acres of land, and is a beautiful location for a large city.

Town lots, 25x120 feet, are being sold from \$100 to \$325 each, and are likely to double in value within the next two years. Terms, 35 per cent. cash, balance in one, two and three years, secured by first mortgage upon the property at 8 per cent. per annum, which mortgage can be paid off at any time. All streets are 80 feet and alloys 20 feet wide. It is believed that the city of Little Falls will have a population of at least 1,000 before the end of this year. In Oleque creek and on the Company's property there are beautiful falls, very desirable for manufacturing purposes.

ELECTRIC LIGHT.

It is contemplated to light Little Palls with electricity in the near future, taking the power from Oloqua creek.

Is Company is for sale in blocks of 10

IMPROVEMENTS ALREADY MADE.

The improvements that have been made at Listle Falls during the past summer consist of the erection of between 15 and 20 dwelling houses, several of which cost frem 23,000 to \$1,500 each. A large and comfortable hotel has been built and is in operation. There are several dwellings and other buildings in course of erection at this time. A shingle mill is in successful operation, employing about twenty hands and returning to the Washington Fire Clay Co. an annual profit of \$2,600, in payment for timber cut from their property which would otherwise be burned to clear it away.

It is expected that a bank will be established here. Two churches are building also a large district school, and a handsome railway station on the Northern Pacific Road. There is also every prospect of a large saw mill being located here at an early date, in which case employment will be given to between 75 and 100 men. This would mean an addition of at least 350 to

would mean an addition of at least 850 to

the population of Little Falls.

This property is now on sale at the office of the Company in Little Falls; also at the office of J. M. Steels, Room 612, Pacific National Bank Building, Tacoma, Washington, and at the Co.'s New York office, and Park Row. Call and see plats.

or more, at \$50 per share

WASHINGTON FIRE CLAY COMPANY. BERNETT BUILDING, on. Folian and Pleasant Str.

PUBLICATIONS.

Books ordered by Mail, selected with care and forwarded with prompiness.

Books out of print and scarce, will be searched for with thoroughness.

Books not to be had, in this country, will be imported to order.

CROTHERS & KORTH,
(Room 22, Manhattan Building),
96 Fifth Avenue, New York City.

BABY.

An Illustrated Journal for Mothers.

\$1.00 a year.

Send for Sample Copy.

Charles Robinson, 907 Broadway, M. Y.

THE BOTANICAL GAZETTE.

A monthly illustrated journal of botany in all its departments.

25 cents a number, \$2.50 a year.

Address PUBLISHERS BOTANICAL GAZETTE,

PUBLICATIONS.

NOW READY. THE RADIOMETER.

By DANIEL S. TROY.

This contains a discussion of the reasons for their action and of the phenomena presented in Crookes' tubes.

Price, postpaid, 50 cents.

N. D. C. HODGES, 874 Broadway, N. Y.



AMERICAN WOODS

A book on Woods containing actual and authentic specimens, PREPARATIONS OF WOODS FOR MICEOSCOPE AND STEER-ING WOODEN CARDS, for invitacing etc. Send for circulars. R. S. HOUGH, Low-ille, N. Y.

JOHN IRELAND'S Bookstore, 1197 Broadway

near 26th St., is convenient to the residence quarter of the city; it is a good place to drop into on the way up or down town to select books or stationery. His stock is well selected and embraces all the new andstandard books as soon as issued. Out-d-town purchasers can order by mail with every confidence that their wants will be as well segmited as if burjurg in persons.

PROPRIETARY.

We pay the printer to give you good advice about health and to lead you to careful living.

Our reason is that Scott's Emulsion of cod-liver oil is so often a part of careful living.

If you would go to your doctor whenever you need his advice, we might save our money. He knows what you need.

Let us send you a book on CARBFUL LIVING; free.

Scorr & Rownz, Chemists, 23e South 5th Avenue, New York. Your druggist keeps Scott's Emulsion of cod-liver oil—all druggists every where do. \$2.

- 22

SCIENCE

TENTH YEAR.

The use of Science by scientific men has increased in the past few months as never before. More than two hundred of the leading scientific men and women of America have agreed to contribute to the paper during the coming year; and, as others are constantly joining in this move, to make the paper more valuable than ever, it cannot be long before there will be a body of five hundred competent users of this weekly medium of scientific discussion. It is our aim to place the paper in the hands of all competent persons who will avail themselves of this opportunity to make Science a better representative of American scientific work than ever in the past.

N. D. C. HODGES, 874 Broadway, New York.

Minerals, Bocks, Possils, Casts of Possils, Geological

MaoU.

Ward's Natural Science Establishment

Mineralogy, Geology, Paleontology, Zoology, Osteology, Anatomy.

Anatomical
Most
Send for Circular. ROCHESTER, N. Y.

Sinfled Animals and Skins. Mounted Skeletons, Anatomical Models,

SCIENCE

NEW YORK, FEBRUARY 19, 1892.

NOTICE OF NEW GIGANTIC POSSILS.

While on a collecting trip the past summer in the Bad Lands of north-western Nebraska and south-western South Dakota my attention was called by Mr. Charles E. Holmes




Fig. 1. — Devil's Corkscrew in the collection of C. E. Helmes. Drawn from nature.

(Yale, '84) to some gigantic fossils abounding in the extreme north-western corner of Nebraska. At that time I secured one large specimen, and noted and sketched several other forms, intending to return later and complete the work in that highly interesting field.


These fossils seem altogether so remarkable and of such imposing size and peculiarity of form, that I have felt great sitancy in offering any suggestions as to what they are or in describing them at all; and what I now venture to publish is proposed tentatively, till I can return to this same spot and complete the work cut short last season. Not less than two genera and three species of the family were noted, and, cause of their similarity to immense corkscrews, we dubbed them "Devil's Corkscrews," and I offer for them the provisional name Daimonelia. At least two gigantic and one small species were observed. They are almost mathematically exact and regular in form, and suggest a great three-inch vine coiled with strict uniformity of pitch about a four or five-inch pole. However, the vine and pole, as the cut will show, are just as much one as are the thread and screw which they so strikingly resemble. At the bottom of all is a transverse piece, indefinitely long, and about ten inches in diameter, rendering the appearance of the whole like that of the veritable corkscrew (See Fig. 1).

Just what this great "rizome" is, remains to be learned. In the mean time, suffice it to say, that, as far as observed, it consists invariably of a small obliquely descending por-

tion, and a large obliquely ascending one. The latter, as shown by all that have been dug out, at least, seems to curve upward gradually, and ultimately reach the surface.

The great "underground" stem of my own specimen (Fig. 2) was followed from the wall of a small butte some ten feet straight into its interior, and then the work of further excavating in rock so very soft and crumbling, yet so peculiarly difficult to work, had to be abandoned. In the two remaining forms especially noted, one gigantic, the other small, the coil had the form and pitch of the common open corkscrew (see Fig. 3).

They covered an area of several square miles, where I saw large numbers of them, all standing in the incompletely lithified sandstone as erect as so many titanic hop poles with so many titanic vines coiled upon them. I estimated that many could not be less than thirty or more feet in height; at any rate, we frequently saw in the vertical walls of small canons or draws fifteen feet of exposed corkscrews, while an unknown amount had been weathered from the top, and an indefinite amount was still buried in the rocks below. Then,



730 2.—A sketch of Devil's Corkscrew (in my own collection) as it appeared when nearly dug out of the vertical bank. Top croded away. Height about five to six feet.

again, I dug out the basal portion of one specimen fully thirty feet below the surface, where the tip-ends of others were exposed. These strange forms seem to be casts, no structure being visible to the eye, or under the glass. The gray matrix readily weathers away from the specimen, which on fracture shows a spongy, friable, white wall, surrounding a core or matrix; though of chalky appearance, the wall is strictly silicious.

and the state of

bryosoan, it seems improbable that it is such, neither is it a plant, nor a mollusk, as I believe. Possibly it is the case of some ancient worm. I have shown the specimen to eastern as well as western geologists and botanists, besides sending drawings and descriptions of it to others, who pronounce it entirely new to them. As far as my own experience goes, I have neither seen anything of the kind in any of our large eastern museums nor have seen anything published relating



Fig. 8. - Diagram of another form of Devil's Corkscrew, as ekstehed in the

to it, and I feel reasonable confidence in offering a notice of what I believe to be a new paleontological specimen, trusting that, if nothing more, it may elicit information on the matter from anyone who has it to offer,

IRWIN H. BARBOUR.

CONFIRMATION OF THE DISCOVERY OF THE IN-FLUENZA BACILLUS.

To Dr. Pfeiffer of Berlin is due the discovery of the influenza bacillus. Dr. Kitasato has cultivated it to the fifth generation. Koch has shown, in an article not yet published, how pure cultures of tubercle bacilli can be obtained directly from the sputum. Kitasato has succeeded in employing the same method with the influenza bacilli. According to him, the single colonies are so uncommonly small that they can be easily overlooked, so that former investigators may have failed to see them. The colonies do not flow together as in other kinds of bacteria, but always remain separated; this is so characteristic that the influenza bacilli can be distinguished from all other bacteria with certainty.

The same bacilli have been found in the blood of influenza patients by Dr. Canon. Dr. Koch has compared these with the micro-organisms discovered by Pfeiffer, and pronounces them identical.

And now Dr. Canon has gone still further,1 and has succeeded in cultivating the influenza bacillus from the blood of patients attacked with the disease. The cultivation is rially difficult since the bacilli in the blood-drops are very few in number, and the colonies, on account of their fineness, are concealed through the congulated blood. The blood therefore was not inoculated in tubes upon glycerin or sugar-agar, but in the Petrian "Schalen." A great quantity was employed. By this method there was not only a greater bability of preserving colonies, but also the possibility of eventually seeking out the colonies with the microscope.

The blood is taken in the following manner: a finger-tip is cleansed with sublimate, alcohol, and other in the usual

While reminding one forcibly of some monstrons fossil ... way; then with a red-bot needle the finger is pierced; an assistant presses the blood out of the opening in drops, being careful that they remain globular in form; from eight to twelve drops are placed upon the Petrian "Schale," and they are heated in a temperature of 37° C. The colonies show a slight development after twenty-four hours; in forty. eight hours they are distinctly seen. They are like those cultivated by Pfeiffer from sputum of influenza patients. In the cultures from the blood the colonies often lie close upon one another. The pure cultures from these colonies have the same appearance as those Kitasato has described.

> Dr. Canon cultivated influenza bacilli from the blood of six patients, and in all the bacilli in the blood preparation were few in number and separated. And thus it appears that in those cases where the bacillus is wholly separated in the blood preparation, a sure diagnosis of influenza is given.

· A. MACDONALD.

Georgetown Medical School, Washington, D.C.

NOTES AND NEWS.

THE University of Edinburgh in June, 1891, conferred upon Professor Simon Newcomb the honorary degree of doctor of laws (in absentia). Professor Newcomb was also elected, in June, 1891, an honorary member of the Royal Institution of Great Brit-

At a meeting of the trustees of Johns Hopkins University, Dec. 15, 1891, it was determined to proceed to construct an academic hall on the property belonging to the university, at the corner of Monument and Garden Streets, running back to Little Ross Street. The trustees are enabled to take this important step by the gift of the late John W. McCoy, who made the university his residuary legatee. Sufficient funds have been received from his estate for the erection of a building which will furnish rooms for the classes in languages, history, and philosophy, with space for the present requirements of the library, and an assembly-room which will hold over six hundred persons. The trustees voted that the building should be known, in honor of the munificent donor, as McCoy Hall. The piece of ground on which the new hall is to be constructed is 100 x 185 feet, and is now taken up with residences used for purposes of the university. Messra. Baldwin and Pennington have been selected to draw up the plans for the building.

— On 12th of May, 1890, while making a professional call in the outskirts of the town, B. H. Hartwell, M.D., of Ayer, Mass., was summoned into the adjacent woods by a messenger, who stated that her mother was "burned alive." In a paper read before the Massachusetts Medico-Legal Society, and published in the Boston Medical and Surgical Journal, Dr. Hartwell says: "Hastily driving to the place indicated (about forty rods distant) a human body was found in the actual state of conflagration. The body was face downward; the face, arms, upper part of the chest, and left knee only touching the ground; the rest of the body was raised and held from the ground by the rigidity of the muscles of the parts. It was burning at the shoulder, both sides of the abdomen, and both legs. The flames reached from twelve to fifteen inches above the level of the body. The clothing was nearly all consumed. As I reached the spot the bones of the right leg broke with an audible snap, allowing the foot to hang by the tendons and muscles of one side, those of the other side having burned completely off. Sending my driver for water and assistance, I could only watch the curious and abhorrent spectacle, till a common spading fork was found with which the fire was put out by throwing earth upon it. The flesh was burned from the right shoulder, exposing the joint from the abdomen, allowing the in-testines to protrude, and more or less from both legs. The legbones were partially calcined. The clothing unburned consiste of parts of a calico dress, cotton vest, woollen skirt, and thick, red, woollen undergarment. The subject of the accident was a woman, forty-nine years of age, about five feet five inches is

nd

In

ac

70

ix

a

D.

eight, and weighing not far from one hundred and forty pounds; neight, and weighing no far from one number and forty points; of active habits and nervous temperament. A wife and mother, she was strictly a temperate person, accustomed through life to hard work, one who, in addition to her household deties, went washing and cleaning, b sides doing a good share of the work it. a large garden. On the fatal afternoon she had—as the place owed — been clearing a lot of stumps and roots, and had set fire to a pile of roots, from which it had communicated to her clothing, or it had spread into the woodland and had set fire to the clothing during her endeavors to stop it. The body lay about two rods from the burning pile. As proof that the flesh burned of itself, and nothing but the clothing set it aftre, it may be stated that the ident occurred after a rain; that the fire merely skimmed over the surface of the ground, not burning through the leaves; that there was nothing but charred leaves under the body; that her aw hat which lay several feet distant was simply scorched; that the wooden handle of the spade was only blackened. The above case is interesting in several particulars. It is the first recorded case in which a human body has been found burning (that s, supporting combustion) by the medical attendant. It differs from nearly all of the recorded cases, in that it occurred in a person in middle life, not very fat, and not addicted to the use of alcohol. It is interesting in a medico-legal sense. It proves that under certain conditions - conditions that exist in the body itself the human body will burn. We have abundant proof in the many recorded cases of so called spontaneous combustion (seventy-three are chronicled in medical literature) that the body has been more or less completely destroyed by fire, under circumstance that show that it will support combustion, and this has given rise to the belief in the spontaneous origin of the fire."

— A gentleman in New York has recently tested the result of preserving a turkey in a refrigerator for ten years, says the Boston Medical and Surgical Journal. This time having elapsed, the fowl was removed from the refrigerator, and after being properly cooked was caten by a party of gentlemen. While putrefactive changes seem to have been entirely absent it was found that the meat was practically tasteless.

The annual general meeting of the Royal Meteorological Society was held on Jan. 27. Owing to the absence of the president, Mr. Baldwin Latham, through an attack of influenza, his address on "Evaporation and Condensation" was read by the secretary. The question of evaporation is of as great importance as the study of the precipitation of water on the face of the earth, as the available water supplies of the country entirely depend upon the differences between these two sets of observations. The earth receives moisture by means of rain, dew, hoar-frost, and by direct condensation. It loses its moisture very rapidly by evaporation. Although evaporation mainly depends upon the difference between the tensional force of vapor due to the temperature of the evaporating surface and the tensional force of the vapor already in the atmosphere, yet it is largely influenced by the movement of the air and by its dryness, or the difference between the dew-point and the actual air temperature. Evaporation goes on at night so long as the water surface is warmer than the dew-point. With seawater the evaporation is about 44 per cent less than with rainwater, while with water saturated with common salt the evapora tion is 15 per cent less than with rain-water. In his experime Mr. Latham used an evaporating gauge made of copper, one foot in diameter, and containing one foot in depth of water, which was floated by means of a hollow copper ring placed six inches distant from the body of the evaporator and attached to it by four radial trms. This form of evaporator was found extremely convenient in carrying on all evaporation experiments; it was floated in a tank four feet in diameter, containing thirty inches depth of water. During the period of thirteen years, from January, 1879, to December, 1891, this evaporator has never once been out of order or been interfered with in the slightest degree by frost. Experi-ments were made with some 5-inch evaporators as to the effect of color on the amount of evaporation, one being painted white, another black, and the results given by these gauges were compared with a copper gauge exposed under similar conditions. This comparison was the means of showing that the greatest errors in

evaporating gauges arise from the capillarity of the water rising on the sides of the gauge and thus inordinately increasing the amount of evaporation. Consequently a small gauge having a larger amount, in proportion, of side area than a larger gauge, gives a very much greater amount of evaporation. The res from the floating evaporator, one foot in diameter, show that the rage amount of water evaporated annually during 1879-91 was 19.948 inches. It was found, however, that, as a rule, during the period from October to March, there were certain occasions when densation was measured. The amount of these condensations in thirteen years averaged . 308 of an inch per annum The 5-inch evaporating gauge, freely exposed to atmospheric influences, gave during the same period (1879-91) an average annual depth of evaporation equal to 88.185 inches. The average annual evapora-tion during the three years 1879-81 from the 5-inch copper gauge standing in water was 27.90 inches, from one painted black, 22.97 inches, and from another painted white, 21.74 inches, whilst a gauge of the same dimensions, freely exposed in the atmosphere, gave in the same period 86.96 inches, and the 1-foot fleating evaporator, 19.40 inches. The 5-inch copper gauge gave a larger amount of evaporation than the gauge painted black. Mr. Latham next described some percolation experiments which were carried out by Mr. C. Greaves at Old Ford, by Mesers. Dickin and Evans at Hemel Hempstead, and by Sir J. B. Lawes and Dr. Gilbert at Rothamsted. He then detailed the results of his own experiments, and also the gaugings of the underground waters in the drainage areas of the rivers Wandle and Graveney. He fur-ther stated that in the course of his observations on the flow of underground water he had observed that at certain particular seasons of the year it was possible to indicate the direction and volume of the flow of underground streams, even when they were at a considerable depth, owing to the formation of peculiar lines of fog. Dr. C. Theodore Williams was elected president for the ensuing year.

—The British Medical Journal, in commenting on the death of a boy who died from drinking hot tea without milk, says that the tea had been left in the oven for some time, so that it had become a strong decoction of tannin. In being drunk without milk, the tannin was not brought into a relatively harmless albuminous tannate. It is on account of this method of making tea that it is so injurious to digestion. Neither the Chinese nor the Japanese, who know how to make tea, use milk with it; but with them the hot water is poured on and off the leaves at table, and it is drunk as soon as it becomes a pale straw color. No people in the world drink so much tea as the Japanese, yet in Japan it is never injurious to the digestion, as by their method of preparation the tannin is not extracted from the leaves.

— There will shortly be opened, probably early in March, in the Museum of Archieology of the University of Pennsylvanja, a loan collection of objects used in religious ceremonies, including charma and inplements used in divination. The basis of the exhibition is the collection of oriental idols of the Board of Foreign Missions of the Presbyterian Church in the United States, comprising objects sent home by foreign missionaries through a period of sixty years. They include a series of Indian brass and marble idols, and a representative collection of Chinese deities and ancestral tablets. There are also a number of African idols from the well-known missionary station on the Geboon River. This collection is supplemented by numerous loans from private collections and objects from different sections of the museum. A catalogue is in course of preparation which will contain sketches of the great religious of the world by Mrs. Cornelius Stevenson, Dr. Daniel G. Brinton, Dr. Morris Jastrow, and others. Ancient Egypt, India, Burma, China, Thibet, Japan, Aboriginal America, Polynesia, and Equatorial Africa will be represented by appropriate specimens, which are now being arranged and catalogued.

— At the opening session of the seventy-first meeting of the American Institute of Mining Engineers at the Johns Hopkins University, Baltimore, Md., on Tuesday evening, Feb. 16, Mr. George F. Kunz read a paper on the mining of gems and minerals in the Ural Mountains, illustrating his remarks with lantern alides made by himself on his trip last summer.

184 - The following experiment is reported in bulletin No. 18 of the Georgia experiment station: The object of this experiment was to determine the effect of applying varying quantities of each of the three elements—nitrogen, phosphoric acid, and potash. The section selected comprised one acre of very poor, gravelly soil, undertaid by a yellow pebbly clay, inclining to pipe clay. The original growth was scrubby post oak, red and yellow oak, and the soil is probably the poorest on the farm. It was in corn in 1890, fertilised at the rate per acre of 100 pounds of super-phosphate, 170 pounds of cotton seed meal, and 90 pounds of muriate The yield was 18 bushels of corn. The land was well broken. April 8, with a one-horse turn-plow, and harrowed smooth. April 14 it was laid off into fifty-two rows, running east and west, d four feet wide, using a long scooter, followed by a shovel. The section was then divided in the middle, across the rows, and grouped into plots of three rows each, extending half across the acre, from the west to the middle line, and from the middle line to the east side. The plots were numbered from 1 to 17, commencing on the north side of the west half and extending to the south side; then from 18 to 34, continuing from the south side of the east half to the north side. The normal or standard formula was: 156 pounds super-phosphate, 19.4 pounds of muriate of potssh, and 33.4 pounds of nitrate of soda. This formula was applied to plots 1, 10, 18, and 27. On the next succeeding plots, 2, 11, 19, and 28, the potash was doubled, the other ingredients remaining the same. In the next series, plots 8, 13, 20 and 29, the nitrogen was doubled, the others remaining normal. In the fourth series, plots 4, 13, 21, and 30, both the potash and the nien were doubled, phosphoric acid remaining normal. In the fifth series the phosphoric acid and potash were doubled, nitrogen remaining normal; and so on through to the eighth series. Plots 9 and 26, abutting each other, contained four rows each, and were not fertilized. By this arrangement of the plots inequalities in the character and productiveness of the different por-tions of the acre were approximately adjusted or corrected. In the table following the results are given, the yield in the case of the unfertifised plots being the average of two plots, and in every other case being that of four plots.

ractions for	Pertilizers Per Acre.			a no si at	Signate Company
Series.	Super- phosphate.	Muriate of Potash.	Nitrate of Soda.	Cost Per	Yield Per Acre.
organia to to	156	194	32.4	\$2.36	7.00
	156	38.8	224	9.77	7,94
	158	19.4	64.8	8.00	8.04
	158	38.6	04.8	348	8.84
8	31¢	19.4	82.4	8.56	8.12
6	319	38.8	30.4	4.00	7.98
The state of	319	19.4	64.8	4.29	8.95
22010	319 117	88.6	01.8	471	840
hangerts delay in	140 <u>0</u> 0.10	ķr alam <u>u</u> ž nes	None.	ng a <u>s</u> inti	5.00

— Dust, like the poor, we have always with us, nor has Hygein with her newest brooms yet succeeded in banishing it. Yet there is abundant evidence to show that a dusty street contains more lurking potentialities of mischief than a jungle peopled with the hungriest wild beasts. To the researches of Miquel and others can now be added, says the British Medical Journal, the results of an elaborate investigation by Dr. Luigi Manfredi of the composition of the dust of the streets of Naples. The number of microbes of all kinds found in it amounted on the average to 761,521,000 per gramme. Remarkable differences in the proportion of micro-organisms were, however, observed in the dust from different quartern of the city. Thus, in the streets least exposed to contamination, that is to say, where there was the least traffic and where the hygienic conditions were most satisfactory, the average number of microbes in the dust was only 10,000.000 per gramme. On the other hand, in the busiest thoroughfares, the

average rose to 1,000,000,000, and in some of the dirtiest streets to the enormous figure of 5,000,000,000 per gramme. In this "endiess occan" of infinitesimal life, there was a large number of pathogenic organisms, and the unhealthness of the street or quarter was directly proportional to the number of microbes in the dust. Dr. Manfredi carefully tested the infective power of the dust, and obtained positive results in 73 per cent of his experiments. Of forty two cases in which he communicated disease to guinea-pigs by inoculating them with Neapolitan dust, he found the microbe of pus in eight, the bacillus of malignant odema in four, the bacillus of tetanus in two, the bacillus of tuberculosis in three, not to mention several other microscopic ferce natural possessing the power of inducing fatal septicemia in the unfortunate guinea-pigs on which they were tried. The moral pointed by these discouraging facts is that our Ædiles should take the Dutch housewife for their example, and wage relentless war against dust and dirt of every kind.

— Processor William Guy Peck of Columbia College died suddenly in Greenwich, Conn., on Feb. 7, aged 72 years. He published, in 1859, "The Elements of Mechanics," in 1860, an edition of Ganot's "Physics," and was joint editor with Charles Davies of the "Mathematical Dictionary and Cyclopedia of the Mathematical Sciences." He wrote several other text-books in mathematics.

The Institute of Jamaica has begun the issue of special publications. The first, the "Rainfall Atlas of Jamaica," contains this teen colored maps showing the average rainfall in each month and during the year, with explanatory text. The maps are bar upon observations made at 153 stations from about the year 1879 to the end of the year 1889. The available stations are irregularly distributed, being for the most part sugar estates and cattle-pen and in consequence of this irregularity the island has been divided into four rainfall divisions. The north-eastern division has the largest rainfall, then comes the west central, next the northern, and lastly the southern. The annual distribution of the rainfall varies from 30 to 35 inches in a few places to over 100 inches in the north-eastern division. The greatest fall is in October, and the least in February. The driest stations are on the north-eastern and south-eastern shores. The maps show the distribution and average amount of rainfall very clearly by different tints, and cannot fail to be of both scientific and practical utility. The work has been prepared, according to Nature, by Maxwell Hall, the government meteorologist.

- The Equatorial current of the Pacific Ocean, striking against the Philippines and the islands lying to the south of that group, divides into two branches (The Scottish Geographical Magazin February, 1893), one of which turns southwards to the coast of Australia, while the other, under the name of Kuro Shiwo, or Black Stream, flows past the Liu-Kiu Islands and the coast of Japan. Coming from the warmer equatorial regions, its waters have a higher temperature than that of the sea through which if passes, and hence its limits may be determined by observations of temperature. Its breadth and velocity are greatly modified both by the monsoons of the Chinese Sea and by the storms of the Pacific. In fair weather the Kuro Shiwo flows in an almost straight line from the Van Diemen Straits to Rock Island, touching Oshima on its way. In winter it often lies considerably to the south of this limit, but the line from Oshima to Rock Island may be taken as its northern boundary. Its course is marked by sea-weed and drift-wood, and also by the dark color to which it owes its name. From Rock Island it runs past Nosima Saki into the Northern Pacific. On the northern edge of this stream no current is found as a rule, though occasionally a current in the opposite direction has been noticed. Between the zone where no marine currents are found and the coast of Japan tidal currents occur. The breadth of the zone between the Kuro Shiwo and the coast increases during violent northerly winds, and diminishes when southerly and easterly winds prevail. When the latter blow steadily and with great strength, the current sets more or less dis rectly onto the coust, causing high tides, and it is then necessary for ships to keep a sharp lookout, lest they should be driven ashere. The zone of tidal currents extends for a distance of five to six nantical miles from the coast, and their velocity varies in

m

general inversely as the breadth of this zone. At Oshima the tidal current is sometimes imperceptible, either because it is overpoward by the Kuro Shiwo, or because at that time it flows through the strait between Oshima and the main island.

— The New York Industrial Building, erected during the past year, is nearly ready for use. The furniture dealers will be the first to occupy the building, and other trades have bespoken it so that there will be a continuous exhibition or fairs of varying hinds. The building is in a most fortunate situation, occupying the block bounded on the east by Lexington Avesue, on the west by Depew Place, on the north by Forty-fourth Street, and on the couth by Forty-third Street, within a short block of the freight depot of the Grand Central Railroad, and within reach of all the street cars connecting with the ferries by which New York is approached from New Jersey, etc.

The influence of steam on magnets is the subject of an inter-ng note in the Schweizerische Bauseitung, in which reference made to the researches of Stroubal and Barus. These have shown that, with long continued heating in steam, magnets lose from 28 to 67 per cept of their power. If, after this, the magnets are remagnetized, and again exposed to the action of steam, only s very slight loss of magnetic power is found to take place. The esperiments which have been made would seem to warrant the dusion, also, that after such treatment a magnet is less liable to deterioration from mechanical vibration as well as heat. In one of the experiments a short magnet was boiled in water for four hours. It was then magnetized and held in an atmosphere of steam for two hours more, after which its magnetic moment was measured. It was then subjected to fifty blows from a piece of wood, both transversely and longitudinally. Again measuring, is magnetic moment, showed a loss of ver, and, on repeating the nammering with the wooden bar, the loss was 41, of the original moment. In view of this, repeated steaming and magnetizing is ommended as a good means of securing permanent magnetism in pieces of hard steel.

The Orang-Ulu are a people living in the southern part of tatra, who were visited by M. J. Claine during the summer of 1890 (Asiatic Quarterly Review, October, 1891). In May be ared at Palembang, formerly the capital of the sultans of Palemng and now the sest of a Dutch resident. This town, containg a population of 60,000, composed of Malays, Arabs, Chinese, d a few Europeans, is situated on the Kuraa Sunsang, a branch of the Musi. Leaving Palembang in August, M. Claine ascended e Musi and its affluent, the Lemattang (Lamatang), to Muri-Inim (Muara Inim), about 186 miles from Palembang. Two days later the land journey was commenced, and, after a few hours' march, the country of the Orang-Ulu was entered by a bridge arded by a group of natives. At Lahat the curious peak of Bukih Segello (Ceriilo?) was photographed, and at Bandar, the last fortified post of the Dutch Government, a halt of two days was made. The country is mountainous and wooded, with here and there fine plains. The head-waters of the Lemattang ron rough profound gorges, and aborescent ferns afford a welcome ade from the burning rays of the sun. Soon after leaving Bandar M. Claine came in sight of the rich plateau of Passomah and the superb outlines of the Dempo, strongly marked against the sky, and came to a halt at Pager Alam. The Ulu are very imilar to the Malays in ontward appearance and costume, but, never having adopted Mohammedanism, they differ in their habits. Each village is governed by a Creo, or chief, who wears, a sign of authority, a pair of gold-woven pantaloons, provided by Dutch Government. His power is very limited, all his acts being controlled by the elders. The chief occupations of the men tre smoking and cock fighting, while the women do all the hard work. They grow rice and cocca-nut trees. The houses, like those in other parts of Sumatra and Java, are built on piles, and ered by means of a notobed beam. The husband, on his mar-ge, is bound to enter the service of the wife's family. Marrage is celebrated with the following ourious ceremony: An im-mense balance, adorned with leaves, is placed before the house of the bride, in one of its wooden scales the parents deposit fruit, rice, fuel, cocoa-nuts, and a small kid, and in the other the bridegroom is bound to by before sunset the gifts he makes to bis intended. As soon as the scale dips in his favor, the girl leaves the house and approaches him, and the ceremony is concluded by a feast and dance. On the 11th of September M. Claine set out with a Dutch officer to ascend the Dempo. Passing by the village of Gunong Agun, through a region abounding in tigers, they reached the summit on the second day, and then, crossing a long and narrow plateau, ascended the Merapi volcano, visited seven years before by Mr. H. O. Forbes. The barometer marked 9,000 feet at the summit. From Pager Alism M. Claine made a tedious journey across the Passumah plateau to Padang-Bornay and Talang-Padang, crossing the Upper Musi several times by bamboo bridges. At Tebbing-Teggi (Tingi) he took pessage on a coffee prause, and descended to Palembang. The current is so rapid that it takes forty-five days to ascend the river, whereas three-fourths of the descent is accomplished in three days, and the remainder in four days and four nights.

It has been proposed through the pages of the British Journal of Photography that upon the advent of the twenty-first birthday, in 1802, of the gelatino-bromide dry plate process, in photography, a substantial and fitting testimonial should be offered to Dr. R. L. Maddox, the inventor, now a veteran invalid, who has derived no pecuniary advantage from his valuable discovery, which has so largely advanced the progress of photography in all its branches, and in every country. For this purpose a committee has been formed in London, in order to carry out the scheme in the United Kingdom of Great Britain, consisting of the following gentlemen: Mr. James Glaisher, F.R.S., president of the Photographic Society of Great Britain, chairman; Captain W. de W. Abney, C.B., F.R.S., R.E., Messrs. A. H. Harman, F. York, and Sir H. Trueman Wood, assisted by others, as the executive, with the aid of Dr. A. Clifford Mercer, F.R.M.S., Syracuse, N.Y. For the furtherance of this project internationally, a foreign committee has been formed in Southampton, of the following gentlemen: James Lemon, Esq., Mayor of Southampton; Col. Sir Charles W. Wilson, K.C.B., F.R.S., R.E., director of the Ordnance Survey, Southampton; Major-General I. Innis-Gibbs, Captain Robert Evans, R.N. Subscriptions can be forwarded to the Southampton Branch of the National and Provincial Bank of England, by check or bank draft, crossed "Maddox Fund," or by post-office order; but, if preferred, they can be addressed direct to the secretary, Charles J. Sharp, solicitor, 71 French Street, Southampton, and will be acknowledged by him.

— The outlook for the recently discovered coal mines in the Argentine Republic is so favorable, according to Engineering, that the railway companies of that country have declined to renewtheir contracts with the British mines for fuel. Hitherto all the coal burned on the Argentine railroads has been imported, but it is believed that the newly-discovered mines will furnish a supply entirely sufficient for domestic consumption.

— Mail advices from the Argentine Republic bring information of the discovery of a vast bed of silver in the bottom of the bay of San Blas, Argentine Republic. The silver appears in the black metallic sand which covers the bottom of the bay. This sand is full of silver peliets, and divers have brought up a sufficient quantity to justify the belief, as stated by the Buenos Ayres Stundard, that "the silver deposit in the bottom of the bay is greater than in the famous Bonanza mines of California."

—About four years ago there was inaugurated in Berlin a series of popular lectures on astronomy, illustrated with stereopticon views. This series has proved so successful that it has continued till the present time, and within ten days a similar course has been opened in New York. The lectures are given at the Carnegic Music Hall three times a week, and are entitled "A Tripto the Moon." The views shown are excellent and must certainly impress on those seeing them many an important fact in astronomy. The matter given by the lecturer varies somewhat as occasion may require.

— William Draper Lewis, Ph.D., is the author of a pamphlet recently published by the American Academy of Political and Social Science. The title of the essay is "The Political Organization of a Modern Municipality."

SCIENCE:

A WERELY NEWSPAPER OF ALL THE ARTS AND SCIENCES.

PUBLISHED BY

N. D. C. HODGES.

874 BROADWAY, NEW YORK.

SURFESIONS.--United States and Canada......\$3.50 a year. Great Britain and Europe...... 4.30 a year.

mications will be welcomed from any quarter. Abstracts of scientific papers are solicited, and one hundred copies of the issue containing such will he mailed the author on request in advance. Rejected manuscripts will be returned to the authors only when the requisite amount of postage acanies the manuscript. Whatever is intended for insertion must be authentid by the name and address of the writer; not necessarily for publication, but as a guaranty of good faith. We do not hold ourselves responsible for any view or opinions expressed in the co Attention is called to the "Wants" column. All are invited to use it in liciting information or seeking new positions. The name and address of

plicants should be given in full, so that answers will go direct to them. The nge" oolumn is likewise open,

For Advertising Rates apply to HENRY P. TAYLOR, 47 Lafayette Place, New

ARSENICAL POISONING FROM DOMESTIC FAB-RICS.

Physicians long ago associated a certain class of symptoms with the presence of arsenic in the wall papers of the rooms inhabited by their patients. Of course, so long as the question was in this condition there was abundant room for mistake, and all that had been observed might be explained by some chance coincidence. It now appears that whenever the class of symptoms referred to are well marked there is arsenic present in the urine. It further has been shown in a number of cases that when the suspected wall paper was removed the arsenic disappeared from the urine of the patient, and the symptoms disappeared as well. The number of cases is large in which these points have been made: a certain class of symptoms, arsenic in the wall paper, arsenic in the urine of patients, wall paper removed, arsenic disappears from the urine, symptoms disappear in proportion.

Of course this is not absolute proof that the arsenic came from the wall paper, but, after a large number of cases of the same sort, the evidence amounts to moral proof, and it is rare in medicine to obtain evidence that is more conclusive.

How the arsenic gets from the wall paper to the patient is another question; but, although it would be satisfactory to establish this point, the proof of the modus operandi is not ential so far as the legal aspects of the case are concerned. Without this last proof it is easy to throw dust in the eyes of those not versed in such inquiries, but protective legislation has been taken again and again in cases where the risk is

"The question how the injurious effects are produced by arsenical colors in our domestic fabrics is a moot point, some thinking it arises from arsenical dust, others holding to the gaseous theory."1

Lecture on our Domestic Poisson, by Henry Carr, London, Health Exhibita Literature of 1884, Vol. IX., p. 189.

A New York chemist testified in a hearing on the subject in Boston, "I found that a botanist named Selmi, in experimenting on mould, found it produced a little hydrogen, and he invented the suggestion that the mould on the back of wall paper might produce a little hydrogen, which might unite with the arsenic on the front of the paper, and produce ameniuretted hydrogen, which might account for the papalar idea that arsenical wall paper was dangerous."

This "botanist named Selmi," who may have the advantage of a knowledge of that science also, is an Italian chemist of first-class reputation, who has been publishing his work for at least eighteen years since 1874, and has devoted himself lately more especially to physiological chemistry. He is mentioned in Henry Watts's "Dictionary of Chemis try," Third Supplement, p. 122 (1879), by this reference, "On the detection of Arsenic in Toxicological Investigations, see Selmi (Gazz. Chim. Ital., II. 544)." An interesting paper has lately been issued by the Italian Ministry of the Interior from the scientific laboratories of the Bureau of Health, under the direction of Professors A. Monari and A. Di Vestea, prepared by one of Selmi's countrymen, Dr. B. Gosie, assis tant in these laboratories, the following translation of which I am sure will interest your readers and assist in the solution of this problem. GEORGE S. HALE.

Action of Microphytes on Solid Compounds of Arsenic: A Recapitulation, by Dr. B. Gosio.1

It is well known that, under certain conditions, poisonous products may be developed from wall papers and tapestries colored with arsenical colors (Scheele's green, Schweinfurth's green), and experience has repeatedly demonstrated the serious evils that may arise from their use.

But as to the internal mechanism by which the said coloring-matters become hurtful, many doubts remained, and on certain points perfect obscurity. The idea advanced by Selmi met with favor, viz., that poisonous gases may in such cases be produced by the vital processes of microphytes; but in view of the small range of his experiments (some of which gave results adverse to his theory although tried on a large scale) the preference is given, on the whole, to the theory of William Forster. He says that wall-hangings and tapestries containing arsenical colors are poisonous by reason of the solid particles that are mechanically set free from them and penetrate the organism when inhaled in the form of fine dust. The same conclusion was reached by Giglioli of Naples after eight months of experiment on mould-cultures in earths (both solid and broken up in water), mixed with arsenious anhydride; and he explained his ill success by saying that probably arsenic is not compatible with the life of those germs that would be capable of developing hydrogen, and, therefore, the reducing mechanism was wanting.

On the other hand, the partisans of the parasite theory, while they draw from their observations only general criteria, have not been able, thus far, to point out what microorganisms are peculiarly suited to bring about the modifications of substance to which they refer; nor have they determined whether all the compounds of arsenic, or, if not all, which of them are most susceptible of these modifications. Thus, Bischoff relates that it was noticed that from a mixture of flour and common white arsenic (which had been used to poison a horse for purposes of revenge) a gas was developed which had the smell of garlic and the characteristics of arseniuretted hydrogen. But he neither states how it was found

sted in advance to the last Congress of Hygiene,

possible to verify this phenomenon, nor could this fact serve to establish our proposition; for in his case the substance in question was arcenious acid, while the colors used in dyeing are salts of this acid, generally with a cupric base (Scheele's and Schweinfurth's greens), or sulphids of arcenic (realgar, orpiment). And it is obvious that this circumstance is not irrelevant; for arcenic or arcenious acid may be compatible with the life of certain germs while arcenite of copper may be incompatible, and, indeed, would at first sight appear to be so, if we consider the well-known antiseptic action of the salts of this metal.

Hence, in order to prove that tapestries which contain arsmical colors can become poisonous by reason of the transformation of the coloring-matter itself into volatile poisons as a result of the biological activity of the micro-organisms that vegetate in contact with it, it is necessary to prove that these micro organisms can exist with and do transform precisely those colors which are used in tapestries.

My experiments bring a contribution to this interesting question of hygiene and toxicology. The results obtained allow us to determine not merely whether from solid compounds of arsenic and from which of them (arsenious acid, arsenic acid, arsenites, arseniates) it is possible, through the action of microphytes, to develop arseniuretted hydrogen gas or volatile arseno-organic products, but also to determine what species are pre-eminently suited to produce this transformation. In the first place I prepared some potato pulps containing from 0.05 to 0.1 of arsenious anhydride to 1,000 of pulp. These, distributed in several broad Petri capsules, were kept for some days uncovered in a cellar. Soon the growth of moulds and of the common bacteria of the air was very abundant, and at the end of one week a strong smell of garlic began to be perceived, showing that gaseous arsenical emanations were taking place. The cultures were then placed in a large damp chamber, from which, by means of an automatic pump, a continuous current of air was drawn; and this was made to bubble up during about two weeks through a solution of nitrate of silver. 'A strong reduction of this salt, together with the formation, in Marsh's apparatus, of arsenical rings and spots obtained from the liquid after the elimination of the silver, were the indisputable proofs that the cultures had developed a reducing arsenical

While this was a positive indication of great value in reaching a conclusion, other arsenical pulps in which also germs of many species had been developed gave no evidence of having undergone a similar decomposition. This disparity of results, if on the one hand it justifles the discordant conclusions reached by the various investigators, must, on the other hand, necessarily be accounted for by the generic diversity of the germs developed in the two cultures, since all the other conditions of temperature, humidity, atmosphere, nutrition, etc., had remained unchanged. And here began the work of separating the germs and the series of experiments on pure cultures, of which I will treat in detail in my larger work. Of the germs thus isolated some belong to the moulds, others to the schizomycetes; among the former I note penicillium glaucum, aspergillum glaucum, and, above all, as greatly preponderating in the mother culture, mucor mucedo. I would also have endeavored to ascertain exactly the species of other moulds and of the other saprophytes, if I had found them capable of bringing about the important transformations to which I refer, which was not

Nevertheless, each of the germs obtained in pure culture

and others also which are most commonly kept in the laboraties (B. radiciforme, B. prodigiosum, B. subtile, yellow sarcina, etc.) were cultivated separately in sterilized potato pulp rendered arsenical by 0.05 grans per 1,000 of arsenic acid. The cultures were kept at the temperature of the surrounding air (20°-27° C.), and in diffused light. After one month of observation I was able to ascertain that the production of arsenical gas (indicated by the characteristic garlie smell) had taken place only in the cultures of mucor mucedo and (in a far less degree) in that of aspergillum glaucum. It was not perceived in any of the other cultures.

In view of these facts, special importance attaches to mucor mucedo, a mould very widely diffused in our atmosphere and capable of reducing remarkable quantities of arsenic acid, as I have been able to make sure by strict chemical researches on the abundant cultures carried on in presence of arsenic anhydride and of alkaline arseniates.

In another series of experiments, intending to follow out the practical direction that I had adopted, I inquired whether this activity of the nucer could be extended to those preparations of arsenic which the art of dyeing utilizes in the coloring of papers and hangings in general. To this end the cultures were carried on in the presence of Scheele's green, Schweinfurth's green, realgar and orpiment.

Without here dilating on the course of each separate experiment and on the method of chemical investigation pursued (a thing which I will do in my forthcoming publication) I will sum up my matter in the following corollaries:

 Mucor mucedo tolerates remarkable quantities of arsenic not only without injury, but with advantage to its nutrition, for it grows more vigorously.

2. Many solid compounds of areenic are, through the biological activity of the fungus that vegetates in contact with them, transformed into gaseous combinations, of which arseniuretted hydrogen is certainly one.

3. This transformation is brought about more or less rapidly, but is constant and lasting in the case of all the oxygen compounds of arsenic, including arsenite of copper, which is the basis of the green arsenical colors used in dyeing. It does not appear to take place in the case of the sulphids of arsenic (realgar, orpiment) although the presence of these in the cultures is not at all detrimental.

4. In given conditions of humidity, temperature and light, arsenical gases may be given off from hangings colored with Scheele's and Schweinfurth's greens, through the vegetation of the mucor (I cannot say yet whether of all the mucorini); hence the danger to those who live in such an atmosphere.

This statement of mine does not, of course, exclude the possibility that poisoning may be caused through inhaling the fine dust, as William Forster thinks. But it is evident that this could only happen as an exception, inasmuch one essential condition of the production of the fine dust is a certain degree of dryness of the walls to which the papers adhere, whereas we have seen that the poisonous character of arsenical hangings is generally favored by a certain degree of humidity and can be suspected from a more or less intense smell of garlic in atmospheres which answer to the above-mentioned conditions.

I cannot yet say whether the product of the action of mucor mucedo on the oxygen compounds of arsenie is entirely arseniuretted hydrogen. I have reason to think that it is not. By the action of alkalies I have, in fact, constantly succeeded in setting free a volative substance smelling strongly of garlic from the silver solutions employed to oxi-

dire the assumed AsH, developed by the cultures. The gam so obtained, when burned by oxide of copper, furnishes an abundance of CO; but it is not possible, thus far, to reach any positive conclusions on this point, nor even to exclude the suspicion that the formation of the CO, may depend on the admixture of some other hydrocarbon gas. This point will be made clearer by the special studies that I have undertaken together with Dr. Gorini, for which I am making use of a large culture material.

September, 1991.

A PROBLEM IN PHYSICS.

In Science for Nov. 28, 1890; there was a short note on the experiment conducted by Joule, in which air compressed in one cylinder was allowed to expand into an exhausted cylinder. It was shown that the only work done by the comsed air was that of imparting a velocity to its own particles, i.e., it did not expand against a resistance, and hence the chilling produced was slight. This experiment has not received the attention it deserves, and, moreover, it seems to have been entirely misinterpreted. It has been suggested that, while at the first instant on opening communication between the two vessels, there is an expansion into a vacuum and no work done, yet at the very next instant there is air in the previously exhausted cylinder, and there is work done in compressing that. This is a serious fallacy, and lies at the bottom of the mininterpretation. It is very certain that no work against a resistance is done at any moment during the expansion This experiment is so far reaching in its application, and is so extremely important, that I desire to discuss it a little farther, and I sincerely trust that some one in a suitably equipped laboratory may be induced to try a few simple experiments in this line.

Tyndall has shown that mere rarefaction is not a source of cold, though this is somewhat of a popular fallacy. Let us take a cylinder with a piston fitted air-tight and moving without friction. Let us consider that there is no loss of heat from the interior nor accession from the outside. Suppose the piston is raised suddenly from bottom to top. A perfect vacuum will be formed; but, as no work has been done below the piston, there will be no cooling effect; all the work and consequent heating would be at the engine, which may communicate with the cylinder, though a bundred feet away. Now, suppose a very thin film of air .001 of an inch thick were at the bottom of the cylinder. When the vacuum was formed this thin film would impart a velocity to its particles in order that they might follow the piston, but this air certainly would not expand against a resistance, and hence the chilling would be exceedingly slight. Suppose the piston should be at a point half-way from top to bottom; when it was raised the air beneath would impart a certain velocity to its particles in following the piston, but here again there would be no expansion against a resistance, and hence the chilling would be slight.

Let us change the conditions slightly. Instead of having the air at atmospheric pressure beneath the piston, as in the last case, let it be at double that pressure. On lifting the piston as before we have taken off the pressure and the air beneath imparts a certain velocity to its particles in following the piston. At the first instant that the piston starts there may be a very slight expansion against a resistance, but that would be momentary. The bulk of the cooling would, as before, be due to the fact that a velocity is imparted to the particles beneath the piston, and, in this case, this velocity

would be given to a greater number of particles than before The cooling would be slightly greater, also, but it would not be due to the loss of heat consequent upon the work of expanding against a resistance.

In order to compute the cooling in such cases as these, formula has been used which will be found in the American Meteorological Journal for November, 1890, p. 339, as fel-

$$\frac{T}{T} = \left(\frac{p}{p'}\right)^{.m}$$

In this T and T are the absolute temperatures corresponding to p and p'. It seems to me, however, that this formula is not applicable in this case; for it gives a greater cooling, the

less the work that is done. Suppose $\frac{p}{p'}=\frac{1}{4}$, the cooling by the formula would be 38°; if $\frac{p}{p'}=\frac{1}{4}$ the cooling would be

134°; and if $\frac{p}{r} = 0$, or the expansion was in a vacuum, the

cooling would be 490°. Now, by the principles already enunciated, if the expansion took place in a vacuum there would be no expansion against a resistance, and hence there would be no work done except in imparting a certain velocity to the particles. If the formula fails in the last case, it must also fail in all the others. It seems to me that the formula is only intended to be used in cases where there is an expansion against a resistance, and not in the cases here

A question has come up recently which may be partly anawered by this discussion. It is this: What will be the cooling due to the expansion of gas in a balloon if it should ascend very suddenly to several thousand feet above the earth? Suppose the balloon were instantly put into a perfect vacuum, and the envelope had no resistance; there would be no expansion whatever against a resistance, as we have just seen, and the only work performed would be that of imparting a certain velocity to the particles of gas. 'As a result the gas would be slightly chilled, but vastly less than if it had expanded against a resistance. Now, if the balloon had been suddenly placed at a point where the pressure was ten inches, or one-third that at the earth, the same principles would apply; the only work done would be in imparting a certain velocity to the particles of gas, and in consequence there would be only a slight chilling.

I should be very glad if some physicist would kindly solve the following problems

1. Given an exhausted cylinder of certain dimensions, how much would the air be heated if allowed to enter without noise, and until the pressure was the same as that outsidel

2. What would be the cooling of a perfect gas in a balloon one-third full, if the pressure on the outside were suddenly reduced from thirty inches to ten inches, the temperature of the outside air remaining constant, the envelope of the balloon being without weight and infinitely flexible?

H. A. HAZEN.

aminimized and the control of the co

THOMAS WHITTAKER announces a volume by Frederick Saunders (of the Astor Library), entitled "The Story of the Discovery of the New World by Columbus," the same being an abridgment from the latest authorities. It will be an illustrated quarto.

PROFESSOR GEIKIE ON THE GLACIAL PERIOD.

Ox Nov. 12 the Edinburgh Geological Society held its anniversary meeting, at which Professor Geikie delivered his presidential address, the subject being, "Supposed Causes of the Glacial Period." The lecturer began by remarking that, although the subject of his address had frequently been canvassed, the last word had not yet been said. The question of the cause or causes of the Ice Age was indeed a hard one, and he was not going to advance any novel speculation or hypothesis on the subject. His object was rather to examine certain views, which, after having been abandoned as untenable, had again been put forward to account for the enomena of the glacial period. Before attempting to criticise these views it was obviously necessary to ascertain, in the first place, what conclusions had been arrived at with regard to the climatic conditions of glacial or Pleistocene and post-glacial times. We must first have an adequate conception of those conditions before we could estimate the value of any theory of their origin. The climatic conditions of the Pleistocene were then considered. It was shown that at the clima's of the so-called glacial period the line of perennial snow in Europe was depressed for not less than 3,500 feet on an average. To bring about such a depression the an annual temperature must have been lowered 10° or thereshout

Full consideration of all the glacial phenomena led to the following conclusions: (1) That the cold of the glacial period was a general phenomenon due to some widely acting e-a cause sufficient to influence contemporaneously the climate of Europe and North America. (2) That glaciation in our continent increased in intensity from east to west, and from south to north. (3) That where now we have the greatest rainfall, in glacial times the greatest snowfall took place. (4) That in the extreme south of Europe, and in North Africa and South-western Asia, increased rainprecipitation accompanied lowering of temperature - from which it might be inferred that precipitation in glacial times was greater, generally, than it is now.

The remarkable climatic changes of the glacial or Pleistone period were next considered. It had been proved that the period was interrupted certainly once - perhaps, as many geologists maintained, at least twice - by what were known as inter-glacial conditions. The evidence of this was treated in considerable detail, and the character of the inter-glacial climate was described as being markedly temperate and genial. There could be no doubt whatever that the Pleistocene period was characterized by great oscillations of climate extremely cold and very genial conditions alternating. The evidence of the post glacial beds showed likewise that these had been accumulated under similar, but much less marked, alternations of cold and temperate climates. Lastly, attention was directed to the fact that both in Pleistocene and post-glacial times changes in the relative level of land and see had taken place.

Any suggested explanation which did not fully account for these various climatic and geographical conditions could not be satisfactory. The view which had met with considerable acceptance; especially by American geologists, was that which attributed the phenomena of glacial times to great movements of the earth's crust. Professor Geikie then proceeded to examine that "earth-movement hypothesis" in He pointed out that in the first place there was not the least evidence of great continental elevations in the northern hemisphere, such as the hypothesis postulated. Next, he showed that even if the desiderated earth-move-

ments were admitted, they would not account for the phenomena. Each of the several applications of this earthmovement hypothesis was criticised in succession, with the result that they were all found inadequate. Neither great elevation of the northern lands alone, nor such elevation accompanied by submergence of the Isthmus of Panama and the deflection of the Gulf Stream, would account for the peculiar conditions of the Ice Age. These changes, no doubt, would profoundly affect the maritime regions of North America and Europe, but they would not reproduce the conditions that obtained at the climax of the Ice Age. Another objection to the earth-movement hypothesis was this, that it did not account for inter-glacial conditions. The advocates of that hypothesis imagined that those conditions would supervene when the highly-elevated northern regions were depressed to their present level, and when the Isthmus of Panama reappeared. But these were precisely the conditions that obtained at the present time, and yet in spite of them the climate was neither so equable nor so genial as that which obtained in inter-glacial times and during the mild stage of the succeeding post-glacial period. The earthmovement bypothesis must be rejected, not only because it was highly improbable that such wonderfully rhythmic elevations and depressions of high northern lands and of the Isthmus of Panama could have taken place, but chiefly because it did not explain the conditions of the glacial period, while it practically ignored those of inter-glacial times.

Professor Geikie next considered the proofs of former submergence which are so abundantly met with in temperate and northern latitudes, and discussed the various views which have been advanced to account for the facts. concluded his address by considering an objection which had been urged against the physical theory of the glacial period as advocated by the late James Croll. This objection was based on certain estimates of the rate of erosion of rivervalleys, the accumulation of alluvial deposits, and so forth, from which it was sought to show that only some 7,000 or 10,000 years had elapsed since the close of the glacial period. The consideration that, if this contention were true, it would bring the close of the Ice Age down to the dawn of civilization in Egypt was rather startling, to say the least. The fact was, however, that all such estimates, however carefully made, were unreliable. Dr. Croll's theory might some day be supplanted by one more satisfactory, but it would not be overturned by niggling and inconclusive measurements of that kind. That theory holds the field in giving the simplest and most consistent interpretation of the climatic vicissitudes of the Pleistocene and post glacial periods, while it is the only one that throws any light on the very remarkable conditions that obtained during inter-glacial times.

LETTERS TO THE EDITOR.

- e's Correspondents are requested to be as brief as possible. The writer's name is in all cases required as proof of good faith.

 On request in advance, one hundred copies of the number containing his communication will be furnished free to any correspondent.

 The editor will be glad to publish any queries consonant with the character of the journal.

The Loup Rivers in Nebraska.

- PERMIT me to submit through your columns to Professor Hicks the following questions and comments on his acceptable account of the Loup and Platte Rivers in Science for Jan. 29 last.
- The topographic maps of the region in question are too incom plete for one to learn much from them concerning the present condition of the river valleys; but from general descriptions of that part of the country and from the brief mention by Professor Hicks of the "channels excavated from fifty to two bundred feet

in soft tertiary marls" it may be inferred that the streams are little advanced in their present cycle of development. Professor Hicks postulates that at the beginning of the current cycle of river history, the several branches of the Loup River all pursued independent courses to the Platte. The origin of those early courses is not stated; whether they were consequent on the slanting surface of the tertiary maris, or whether they represented the finally adopted positions of old rivers of a previous cycle of

Old rivers, revived by the uplift of the plains into a new cycle of growth are common enough in the western country, and perhaps the Platte and Loup may be of that kind; but, if so, it does not seem possible to explain the present course of the main Loup River as resulting from a recent capture of its several north-west branches. River captures occur during the early maturity of a river system. If the Platte and the Loup are revived from the old stage of a previous cycle, the captures should have taken place in the earlier part of that cycle; and when the river courses had thus become well adjusted, they would be maintained even after uplift and entrance into another cycle, unless distinctly new conditions were thereby introduced. The possibility of this will be considered in a later paragraph.

If the rivers are not now in a second cycle of development, but are in their first cycle, having first taken their course when their region rose from the waters in which its strata were deposited, and having since then done nothing more than cut their shallow trenches in the general unbroken surface of the country, then we must ask whether their initial courses must have been in the arrangement postulated by Professor Ricks, or whether they may not from the beginning have had courses essentially on their present lines of flow. This latter alternative appears to be indicated at the end of Professor Hicks's article, if I read it aright. Assuming that the last great tertiary lake not only submerged the area of the Loup River, but spread its lacustrine sediments over the surface so as to obliterate any channels of earlier date, then on the disappearance of the lake, the rivers would be newly developed on the faint slopes of its deposits. The Platte, bringing down silt in large amount, may have been at that time a constructive river, busied in building up a broad delta-like flood-plain, further and further out on the lacustrine deposits as they were revealed. If so, it would turn its lateral tributaries down-stream, and the existing arrangement would be produced without the aid of headwater erosion and capture. Hence, until the process of flood-plain deflection is excluded, it does not seem necessary to include the process of headwater erosion and capture.

But even if it be supposed that the courses of the rivers at the beginning of the present cycle were arranged as postulated by Professor Hicks, and that all of them from the Beaver to the South Loup entered directly into the Platte, it seems impossible to explain their present arrangement by the headwater erosion and piracy of the Loup. The conditions for so systematic a process do not occur in the region under consideration, as will appear from

the following analysis. In the first place, it is important to remember that it is not the river but the little trickling headwater streams on the slopes of the divides that do the capturing in cases of the kind here discussed. The capture of one river by another, or lateral abstraction, as described by Gilbert in his most original examination of

this problem in his report on the Henry Mountains is a compara-

tively rare occurrence, and is not applicable here.

In the second place, capture by little headwaters is most common in regions of tilted rocks of varied hardness, and on the adwaters of "subsequent" streams; that is, streams whose headwater growth is dependent on the opportunity given by the weathering of some especially weak stratum, along whose strike the stream extends. No such special opportunity has been offered to the Loup River in this region of horizontal beds.

In the third place, as one headwater stream grows, all other jacent headwaters of the same kind grow at about the same Hence, if the Loup River has so greatly extended itself by vater erosion, all the other hendwater streams should have grown also, and the country thereabouts would be much more disd by channels than it now is.

Finally, the location of Prairie Creek seems to contradict the supposition that the branches of Loup River ever joined the Platte directly; for, if they had, then Prairie Creek must be, like the supposed extension of the Loup, an example of headwaise erosion; and this is not to be thought of in a stream so system cally located between two parallel and larger rivers in a district of horizontal beds.

Taken all together, it does not seem necessary to give any pecial emphasis to headwater erosion and capture in this river system. The natural result of excessive deposition along the Platte, as described by Professor Hicks, is alone sufficient to account for the present arrangement of the streams. The growth of the Platte flood-plain may have dammed back some of its tribu. taries, as certain branches of the Red River in Louislana are dammed back and converted into shallow lakes; and the present main Loup River would then be developed by lateral overflow along the margin of the flood-plain; but this is quite another pros from headwater erosion and capture.

These suggestions are only tentative; for not having seen the region and having no full account of its geological history or of its topography, I can only submit them for criticism.

W. M. DAVIN

Harvard College, Feb. 10.

Origin of the Frigid Period in the Northern Hemisphere.

In my letter, published in your issue of Oct. 16, I stated that the independent circulation of the southern ocean waters was the main cause of ice-sheets forming on the lands situated in the high latitudes of the southern hemisphere; and that such currents were caused by the strong westerly winds, which blew the surfawaters of the southern ocean constantly around the globe, and thus prevented the tropical surface currents from largely entering its waters. Consequently, through this cause and the const gathering of ice in the antarctic regions the temperature of the southern latitudes was slowly lowering; and that the growing coldness would continue until the southern ice-sheets filled the Cape Horn channel and prevented the further independent move ment of the southern ocean waters. This being accomplished, the westerly winds would blow the surface waters of the sea away from the eastern side of the ice-formed isthmus and the southern lands of South America, and so cause a low sea-level, that would attract the surface waters of the tropical seas far into the southern latitudes, and thus in time furnish heat sufficient to melt the ice from the southern lands. I also stated that an ice period could not be perfected in the northern hemisphere without the assistance of cold derived from a frigid period in the southern hemisphere. The independent circulation of the arctic waters is not complete, owing to land obstructions; but it is able to largely prevent the tropical Gulf Stream waters from entering the higher northern latitudes. The prevailing westerly winds blow the surface waters of the Atlantic away from the eastern shore of North America from Georgia to Labrador; consequently the low sea-level thus caused attracts the high-level tropical waters of the Gulf of Mosico through the Florida channel well into the northern latitudes; and during the same time the westerly winds which blow the surface waters of the Atlantic away from the American coast are also causing a high sea-level on the seas abreast north-western Europe, which creates a return current through the Arctic Ocean, passi through the several straits leading into Baffins Bay, and also dow the eastern coast of Greenland. Thus the ocean waters of the high northern latitudes maintain a partly independent circulation, which serves to crowd the Gulf Stream away from the higher latitudes, and thus lower the temperature of the arctic regio Through this exclusion of tropical waters, glaciers have form on Greenland and other arctic shores; and these glaciers are probly slowly increasing, as every iceberg launched from the frigid lands and floated to the Gulf Stream lowers somewhat the te erature of the north Atlantic, and so causes conditions mo favorable for larger accumulations of ice. Still it is probable that a northern ice period could not be perfected by this process alone should the tropical and southern oceans maintain their pretemperature. But with the assistance of a frigid period in the

H.

ı

seathern bemisphere to cool the ocean waters and still further. wer the temperature of the Gulf Stream, and also the trop ents of the oceans, including the great Japanese current, the ice od of both hemispheres would be brought about during the period of both nemispares who have studied the ject that the Gulf Stream derives a large portion of its heat in the south Atlantic; which would not be the case should the waters of the southern hemisphere be chilled by ice. For it appears that all of the south Atlantic islands during frigid times were burdened with glaciers. Even the island of St. Helena, situated in the tropical zone, has the appearance of having been heavily feed during some remote period. Its steep ravines, which deepen as they approach the sea, recall to the southern voyager the ice worn islands of the higher latitudes. Thus when the temperate regions of both hemispheres were heavily feed the temperature of the tropical seas must have been comparatively low, especially on the eastern sides of the oceans which are swept by the polar currents. Moreover, the sea was much salter than now, on account of a large portion of its waters being absorbed by glacie ermore, whenever the arctic channels are filled with glaciers the independent circulation of the arctic waters must cease; conse quently the Gulf Stream, meeting with less opposing polar cur-rents on its sweep northward, would thus be able to gain a much higher latitude than now. Although its waters at first would be colder than they are to-day; still their superior saltness would add to their ability for dissolving ice wherever they were able to flow. But it appears that the Gulf Stream and other tropical currents of e northern oceans would not be able to subdue the cold accumulated in northern ice sheets without the assistance of a comparatively warm ocean in the southern hemisphere. The south as being so much superior and so widely connected with the northern, the tropical currents of the latter seas would require the assistance of the southern oceans to subdue the cold of a northern ice period, in the same degree that it required their coperation to bring about the frigid period. The arctic straits, which now facilitate the independent circulation of cold Arctic waters, would, when filled with glaciers, be slow to thaw out, even with the increasing warmth of the arctic regions, on account of being situated to the windward of the warm gulf currents. Therefore, the glaciers that filled their deep channels would be the last great body of ice to melt in the northern regions; and for this on it is probable that there are fragments of the old ice of the last frigid period still unmelted and now form a portion of the lower shores of the arctic straits. This conclusion is in harmony with reports from Point Barrow which inform us that a stratum of pure ice is found beneath the scanty soil. The low mperature of the waters of the tropical oceans during the perfection of a frigid period must have been very destructive to oceanic life; while such as survived probably found refuge in nearly landlocked equatorial seas, where the waters were largely excluded from the colder ocean, and also freshened by such rivers as emptied into them. Meanwhile, the low temperature of the ocean must have chilled the atmosphere over the land to such a egree as to have caused the destruction of many species of ani-als. C. A. M. Taner.

Lake Como, Florida, Feb. 5.

Electricity in Agriculture.

The abstract under the above title in Science for Jan. 15, 1892, which I have only just found time to read, proves very interesting to me, and I do not wish in any way to have it inferred that I disbelieve in the influence of electricity, at least indirectly, upon the growth of plants; but it does not seem out of place to call attention to the fact that the comparative rarity of mildew on plants krown above electricity-bearing copper wires in moist seil may be due to the action of the copper salts formed in killing the mildew rather than to electrical action.

The roots of the lettuce in the experiment mentioned at "Garden A" (Science, p. 36) are stated to have "grown about the wires, as if there they found the greatest amount of nourishment," etc. This would also be the result from the roots seeking the environment best suited for growth, if the mildew could not thrive

about the wires on account of the trace of copper salts which the

The use of sprays containing copper salts, in the form of Bordeaux mixture or similar compounds, as a preventive of mildew of grape-vines and other plants is well known, and the control plot, "Garden B," should have been provided with copper wires, exactly as was "Garden A," to make the results of the experiment conclusive. As I have not seen the original article in the Bulletin of the Hatch Experiment Station, from which the abstract in Science was taken, it may be the fact that this action of the copper salts upon mildew has been discussed there.

Grorge Drawook

Canobie Lake, N.H., Peb. 18.

AMONG THE PUBLISHERS.

E. & F. N. Spon & Co. announce "Roll Turning for Sections in Steel and Iron," by Adam Spencer. The subject of roll-turning is treated from a purely practical point, and for practical men The drawings are the result of experience, and their value consists in the fact that they are working drawings, that is, drawings of rolls which have passed through the ordeal of actual work. The arrangement of the work is as follows: First, drawing of modern blooming for steel slate, followed by a pair of billet rolls, then various sections showing the related grooves in cogging, roughing, and finishing rolls, with the position and character of collars required. "A Text-Book of the Science of Brewing," by Edward Ralph Moritz and George Harris Morris. The following extract from the introduction will show its character: "The object of this work is to provide in a convenient and accessible form such knowledge of the processes of brewing and of the materials employed in that industry as is at our disposal; and -so far as we are able - to connect such knowledge with the practice of brewing. We therefore intend it as a text-book in which may be found the results of scientific research together with the practical conclusions which we consider justly deducible from them. We do not pretend that a perusal of our work will enable a novice to brew beer; neither will a study of it convert a purely practical man into a chemist. It is meant, however, to lead the brewer to a better understanding of what we may term the physiology and pathology of brewing, and, by so doing, put at his disposal a means for more efficient control over his operations." "Manual of Instruction in Hard Soldering," by Harvey Rowell. "The Mechanical and Other Properties of Iron and Steel in Connection with Their Chemical Composition," by A. Vosmaer, engineer. The author has gathered together the widely scattered information on this important subject, and gives in brief outline the actual knowledge of the intimate connection that exists between the properties of steel and iron and their chemical composition. The elements carbon, manganese, silicon, phosphorus, sulphur, coppor, chromium, titanium, tungsten, aluminium, nickel, cobalt, arsenic, antimony, zinc, lead, tin, silver, molybdenum, vanadium, potassium, sodium, barium, strontium, calcium, and magnesium — have been considered separately and in the following manner: First, as to the metallurgical behavior of the elements in question; next, to deal with their influence on pig iron, cast iron, wrought iron, and steel; lastly, the special uses made of them, and their occur-rence in manufactured objects. The gases, intermolecular, reac-tion, and mixed, have been carefully considered, and analyses given of foundry, bessemer, basic, and forge pig-irons, spiegel-irons, ferromanganese, ferrosilicons, ferrochromes, ferrotungsten, ferroaluminium, cast-irons, weld irons. Steel — railway material, structural steel, ordnance material, miscellaneous. With a disgram of silicon in cast iron, and of disappearance of carbon.

Also a new edition of "A Practical Treatise upon Warming Buildings by Hot Water."

— Morris Phillips of the Home Journal gess abroad every summer for recreation and business. He has kept up that habit for nearly twenty years, besides travelling widely over this country, and as a result of his experiences he has just compiled a notebook of practical hints for tourists entitled "Abroad and at Home," in which he gives incidents of his travels, as well as a

complete statistical and detailed account of the cost of trips in Europe and America. It promises to be a valuable guide-book for American

Henry Holt & Co. will add immediately to Sneath's series of modern Philosophers, volumes extracted from Reid by Dr. Sneath of Yale University; from Spinoza, by Professor Fullerton of the University of Pennsylvania; from Kant by Professor Watson of Queen's College, Canada; and from Descartes, by Professor Torrey of the University of Vermont. They contemplate adding, in the near future, volumes from Berkeley, Hume, and Hegel.

"The Basis of the Demand for the Public Regulation of Industries" is the title of a monograph by the Hon. W. D. Dabney, which has recently been published by the American Academy of Political and Social Science. There have been numbers of plans suggested to remedy these evils, the most notable of which is, probably, socialism. Mr. Dabney thinks that this plan will not be adopted, but that government regulation of private business will be tried as remedy for the existing evils of private monopolies.

The Department of Astronomy of the Brooklyn Institute of Arts and Sciences has just issued a "Hand-book of Astronomy for 1892." The publication is in a new field, and is one that will command general interest and constant use by a very large num-ber of people who have considerable general knowledge of as-

tronomy, and who desire to couple with information gained by reading a practical knowledge from experience and observation. The new publication is designed to aid in the observation of the planets and the constellations every hour when they are visible during the year 1992. The hand book will not only prove intercesting to the "annaleur" astronomer, but also to those who are working with instruments in observatories. It contains cale of the eclipses of the sun and moon, of the periods of the inferior planets as morning and evening stars, and of the periods of the greatest brilliancy and elongation of the planets, a selection of the most important occultations of stars, calendars of the positions of the sun, moon, and planets for each day of each mouth, brief accounts of the opposition of Mars, of the evidence of Venus' rotation, tables showing the motions and positions of Jupiter's satellites, the names and positions of colored stars and double stars. tables of the variable stars of long periods and of short periods, accounts of the zodiscal light and the principal meteoric showers of the year, together with a great deal of valuable information concerning the satellites, the distances of planets and stars, the lengths of the years of the planets and the weights and dimensions of the members of the solar system. A calendar for the sensons and the church calendar are convenient additions. Copies of the hand-book may be purchased by members of the institute, or i others interested in astronomy, at twenty cents per copy, including postage.

CALENDAR OF SOCIETIES.

Philosophical Society, Washington.

Feb. 18.—Gardiner G. Hubbard, The History of the Education of the Deaf; A. W. Greely, Some Peculiarities in the Rainfall

Society of Natural History, Boston.

Feb. 17. - George L. Goodale, Illustration of Vegetation in Cevlon.

Publications received at Editor's Office.

Bowses, Roward A. Elements of Plane and Solid Geometry. 2d ed. Roston, D. C. Heath & Go. 12° 500 p. \$1.26. Bronswar, Fried J. Essentials of Medical Physics Philes, W. B. Saunders. 12°. 520 p. \$1 nst. Harward Collison. Annual Reports of the Presi-dent and Treasurer, 180-91. Cambridge, The University. 5° paper. 364 p. University. 5° paper. 364 p. Hempsi. Waltries. Methods of Gas Analysis. Trams. from the German by L. M. Dennis. New York, Macmillan & Go. 12° paper. 105 p. LaFaven, Carrica. Delearteen Physical Culture. New York, Fowler & Wells Go. 12° paper. 105 p. McKillop, Dunaid. Shorthand and Typewriting. New York, Fowler & Wells Go. 12° paper. 135 p. Musmon of Firm Anns. Catalogue of the Print De-bartiment. Beston, The Museum. 12°, paper. 96 p.

partment. Boston, The Museum. 1P., paper. 98 p.
Scott, W. The Lady of the Lake. Rd. by William
J. Rolfe. Boston, Houghton, Mifflin & Co. 18*,
paper. 273 p. 30 cents.
SCRIBBERS MARKETER. Index to Vols. I.-X. New
York, Charles Serthmer's Sons. 8*. 89 p.
THUMBERS MARKETER. A Manual of the Steam Engine. Part II. Design. Construction and Operation. New York, John Wiley & Sons. 8*. 85* p.
WHITE. CHARLES E. Mumber Lessons. Boston, D.
C. Heath & Co. 18*. 301 p. 45 cents.

Business Department.

Intending investors and others interested in real estate matters in the rapidly developing State of Washington are invited to give a careful reading of the advertisement of the Washington Fire Clay Company on first page of this number. Mr. C. Cooper Clark, Vice-President, will show photographs and blue prints of the property advertised. The writer is personally acquainted with all the officers and many of the stockholders of this company and can vonch for the entire reliability and truthfulness of any statements they may make.

Wants.

Any person seeking a position for which he is quali-feel by his scientific attainments, or any person seeking some one to fill a position of this character, he is that of a teacher of science, chemist, drawghtenan, or what me, may have the "Want' inserted under this head PRECO COST, if he analyses the publisher of the suit-able character of his application. Any person seeking information on any scientific question, the address of any scientific man, or who can in any way use this col-umn for a purpose consonant with the nature of the paper, is cordinity invited to do so.

A PROFESSORSHIP in Chemistry is wanted by one who has had five years' experience in that capacity. Would prefer to give instruction by lectures and experiments rather than by text-book methods. Would like a position in a college or university where there is a good student's laboratory. Special points of strength claimed are: (1) Thorough control of a class and good order during lectures and recitations. (2) Accuracy in experimenting with chemicals and skill in the manipulation of chemical apparatus. The permission of several distinguished educators has been given to refer to them if required. Would not ourse to accept a position paying less than \$1.500. Address B. E., care of Science, 574 Broadway, New York.

A DDRESS WANTED.—Will some one please at the address of the Secretary of the Americ Philological Society. Also that of Herbert Spen "ADDISOR," Room 84, 164 Madison St., Chicago,

A DDRESSES of Old Book Dealers wanted.—Wish-ing to obtain a number of old books out of print, I very much dealer the addresses or catalogues of rare second-hand book dealers. If there is a direc-tory or list of such dealers. If there is a direc-tory or list of such dealers. I should like to obtain persession of cuse. W. A. BLAKELY, Chicago, Ill.

WANTED.—Books on the Magie Lantern. Will exchange, "How the Farm Pays," by Coxier and Hendorson; "Gulture of Farm Grops." by Stewart; "American Agriculturist," 1950 and 1891. I. SLEE ATKINSON, 48 Wallace St., Orange, N. J.

WANTED.—(i) A white man versed in wood and from working, able to work from specifications and plans, suited for an instructor of boys; his business to have charge of shops, or school, outline and direct the work for feremen and students; salary to be \$1,000 per annum (nine months). (§) A man (black preferred) to teach the colored, iron working and forging, subordinate to the preceding; salary, \$700. (d) A man (white) competent to take classes in engineering (assistant's position), but with the ability to perform any of the work required in any of the ordinary engineering courses of our universities; salary from \$1,000 to \$1,500. A. H. BEALS, Milledgeville, Ga.

BOOKS: How to Exchange them for others. Send a postal to the SURENCE exchange column (Insertion free), stating briefly what you want to exchange, SCHENCE, S74 Broadway, New York

Exchanges.

[Freeofcharge to all, if of satisfactory char-Address N. D. C. Hodges, 894 Broadway, New York.]

To exchange; Experiment Station bulletins and reports for bulletins and reports not in my file. I will send list of what I have for exchange. P. H. ROLFS, Lake City, Florida.

Finished specimens of all colors of Vermont marble for fine feasils or crystals. Will be given only for valuable specimens because of the cost of polishing. GEO. W. PERRY, State Geologist, Rutland, Vt.

For exchange.—Three copies of "American State Papers Bearing on Sunday Legislation," 1891, 80-50, new and unused, for "The Sabbath," by Harmon Kingsbury, 1890, "The Sabbath," by A. A. Phaley, 1842; "History of the Institution of the Sabbath Day, Its Uses and Abuses," by W. L. Fisher, 1889; "Humorous Phases of the Law," by Irving Browne; or other works amounting to value of books exchanged, on the question of governmental legislation in reference to religion, personal liberty, etc. If preferred, I will sell "Assertican State Papers, and buy other books on the subject. WILLIAM ADDISON BLAKELY, Chicago, Ill.

Wanted, in exchange for the following works, any standard works on Surgery and on Diseases of Children: Wilson's "American Ornithology," a vols.; Coues "Birds of the Northwest" and 'Birds of the Colorado Valley, a vols.; Minot's "Land and Game Birds of New England: "Samuels" 'On Northern and Eastern Birds," all the Reports on the Birds of the Pacific R. R. Survey, bound its a vols., morocco; and a complete set of the Reports of the Arkansas Geological Survey. Please give editious and dates in corresponding. R. ELLSWORTH CALL, High School, Des Meines, Iowa.

Wanted to buy or exchange a copy of Holbron North American Herpetology, by John Edwards. 5 ve Philadelphia, 1842. G. HAUR, Clark Universit Worcester, Mass.

For sale or exchange, LeConte, "Geology;" Quais, "Anatomy," a vola; Foster, "Physiology," Eng. edition, Shepard, Appleton, Elliott, and Stera, "Chemistry; Jordan, "Manual of Verrebrates;" "International Scientists' Directory;" Vol. I. Yournaid of Merphology; Balfout, "Embryology," a vola; Leidy, "Rhicopody" Science, is vola; unbound. C. T. McCLINTOCK, Lexington, Ky.

To exchange Wright's "Ice Age in North America" and Le Conte's "Elements of Geology" (Copyright 1825) for "Darwinism," by A. R. Wallace, "Origin of Species," by Darwin, "Besent of Man," by Darwin, "Mans Place in Nature," Huxley, "Mestal Evolution in Animals," by Romanes, "Pre-Adamtes," by Winchell, No books wanted except latest editions, and books in good coadition. C. S. Brown, Jr., Vanderbillt University, Nashville, Tenn.

For Sale or Exchange for books a complete private chemical laboratory outfit. Includes large Backer bell-ance (soog to 1'some,), plainium dishes and crucibles, agate motors, glass-blowing agazatus, etc. For sale in part or whole. Also complete file of Silliman's Yournal, 180s-185 (6a-rg bound); Smithtenian Reports, 1824-1831 U. S. Conat Survey, 184-186, Pull particulars to quirers. F. GARDINER, JR., Pomfret, Cona.

The Chaulanguan for March presents the following among er articles: Growth and Distribution of Population in the United States, by General Francis A. Walker; Physical Culture, II., by J. M. Buckley; National Agencies for Scientific Research, II., by J. M. Buckley; National Agencies for Scientific Research, V., by Major J. W. Powell; Ocean Perils, by Felix L. Oswald, M.D.; The Ownership of Literary Property, by George Haven Putnam; Lyceum Attractions of To-day, by W. H. Stenger; The National Library and its Librarian, by Fannie C. W. Barbour; Words to the Deaf, by Katherine Armstrong; What Women Owe to Inventions, by Margaret N. Wishard.

John Wiley & Sons have in preparation a work on timber and metallic structures entitled "Theory and Practice in the Designing of Modern Framed Structures." This book is written intly by Professor J. B. Johnson, author of "Theory and Practice of Surveying," and professor of civil engineering in Washington University, St. Louis, by Mr. C. W. Bryan, designing engineer of the Edge Moor Bridge Works, Wilmington, Del., and by F. E. Turneaure, instructor in civil engineering in Washington University. It will describe in great detail the most modern and approved styles of structures and methods of analysis, giving only a historical review of obsolete forms of trusses and abandoned analytical methods. It will treat not only of bridges and roofs but also of treaties, viaducts, stand-pipes, elevated tanks, and steel skeletons for high buildings. It will be adapted to serve both as a text-book in the higher engineering schools and as a hand-book for the designing engineer.

Houghton, Mifflin, & Co. have just ready "Mark Hopkins," illustrious as president of Williams College for thirty-six years, and as president of the American Board of Commissioners for Foreign Missions for thirty years, by Professor Franklin Carter, eent president of Williams College; also a new work, by Dr. Josiah Royce, entitled "The Spirit of Modern Philosophy."

PROPRIETARY.

Horsford's Acid Phosphate.

A most excellent and agreeable tonic and appetizer. nourishes and invigorates the tired brain and body, imparts renewed energy and vitality, and enlivens the functions.

Dr. EPHRAIM BATEMAN, Cedarville, N. J.,

"I have used it for several years, not only in my practice, but in my own individual case, and consider it under all circumstances one of the best nerve tonics that we possess. For mental exhaustion or overwork it gives renewed strength and vigor to the entire

Descriptive pamphlet free.

Rumford Chemical Works, Providence, R. I.

Beware of Substitutes and Imitations.

CAUTION .- Be sure the word " Horsford'a" is on the label. All others are spurious. Never sold in bulk.

ADVERTISING RATES.

Established January, 1890.

INSIDE PAGES.

Per line, agate measure, 14 lines to an inch "column, "140 lines, "page, three columns, 420 lines,

LAST OUTSIDE PAGE AND PAGES FACING READING MATTER.

Per line, agate measure, 14 lines to a 'column, 'rap lines, 'page, three columns, 420 lines,

FIRST OUTSIDE TITLE-PAGE.

Double-column space at top next Contents, \$30.0 Triple-column space, below Contents, - 50.00

SCALE OF DISCOUNTS.

Copy should be in office not later than Wednessay of the week of issue.

Henry F. Taylor, 47 Lufayette Place, New York.

BOOKS, ETC.

POPULAR MANUAL OF VISIBLE SPEECH AND VOCAL PHYSIOLOGY.

For use in Colleges and Normal Schools. Price 50 cents Sent free by post by

N. D. C. HODGES, 874 Breadway, N. Y.

BACK NUMBERS and complete sets of leading Mag-ames. Rates low. AM. MAG. EXCHANGE. Scholarie N V.

MISCELLANEOUS.

"STERBROOK'S STEEL PENS

OF SUPERIOR AND STANDARD QUALITY. Leading Nos.: 048, 14, 130, 135, 239, 333

Por Sale by all Stationers.
THE ESTERSHOOK STEEL PER 80.,
te: Candon N.J. 96 John St., New York



MINERALOGY.

Course of Mineralogy for Young People

and book, "First Grade," one dollar; ents. Send for circulars to GUSTAVE GUTTENBERG, Contral High School, Pittsburgh, Pa.

GEM OPALS. Cut ready for setting. Having pur cality, we are offering than at about one-fitth lewester prices: No., 18, 124, 18, 18, 18. This is a rare opportunity of source a fine geom very chose. By p. Mineral Catalogs for, in clock 26, 28 applements. Gibb. In Execution 2, 100 lineralogists, 78 and 789 Bread way, New York City.

20 GEMSTONES FREE as a pres with THE GREAT DIVIDE.

These Genetones are cut and polished ready jewelry mounting, and are given free to each a subscriber sending \$1, price of yearly subscript Address THE GREAT DIVIDE, 1516 Arapahee St., Denver, Co.

DO YOU INTEND TO

N. D. C. HODGES, 874 Broadway, New York

DRY GOODS, ETC.

Abrold, Constable & Co

LACES.

Real Point Alencon, Gaze & Applique Bridal Yells, Duchesse, Point and Applique. LOOM LACES.

Point de Gene, Point Gaze, Black, White & Beige REAL THREAD FACE VEILS. SILK NETS, VEILINGS.

Broadway & 19th st.

NEW YORK.

DRESS GOODS

FEBRUARY OPENING.

in order to generally introduce the many pscullar and intricate weaves of our new im-portations of Dress Goods, we have arranged for a special exhibit this week.

The largest and most varied stock of High Class Woolens we have ever shown. Roubsix Serges, Goffered Crepes, Fluted Crepens, Transparent effects in the new

ords, are among the novelties.

The new shades show a marked different on those of last season. This change is to observed both in the plain and the fancy

We desire every one to see these novel and autifui goods.

lames McCreery & Co. BROADWAY & 11th STREET, NEW YORK.

FINANCIAL.

New Method of Protecting Property from Lightning.

The Lightning Dispeller.

Price, \$20 to \$30.-According to size.

The Patent Lightning Dispeller is a conductor specially designed to dissipate the energy of a lightning discharge,—to prevent its doing harm,—placing something in its path upon which its capacity for causing damage may be expended.

No recorded case of lightning stroke has yet been cited against the principle of the Dispeller. So far as known, the dissipation of a conductor has invariably protected under the conditions employed.

Correspondence solicited.

AGENTS WANTED.

The American Lightning Protection Company United Bank Building, Sloux City, Iowa.

FOR NON-RESIDENTS TAYLOR & GUNSTON

Take full charge of property for the EASTERN INVESTOR.

City, Town, and Suburban Lots, Garden, Pruit, Hop and Timber Li

10° Guaranteed on all Investments.

Houses for sale on the linetalment plan, by which the purchaser can obtain an income sufficient to cover all payments, including taxes, insurance, etc. Information regarding any particular point in the State of Washington giadly furnished upon application. Personal attention given to all loans. Correspondence solicited. Refer, by permission, to the Pacific National Bank, Taxoma, Wash.; Geo. H. Tilley, Esq., Secretary and Tressurer of the Southern Express Co., and Prederick C. Clark, of Clark, Chapin & Bushnell, New York.

Address 504 California Bl'k, Tacoma, Wash

H. P. TAYLOR, 47 Lafayette Place, New York.

FINANCIAL

THE

COMPANY

95 MILK ST., BOSTON, MA

This Company owns the Lett Patent granted to Alexander G ham Bell, March 7th, 1876. 174,465, and January 30, 181 No. 186,787.

The Transmission of Speech all known forms of ELECTI SPEAKING TELEPHONES fringes the right secured to Company by the above patents. renders each individual user of ephones, not furnished by it of licensees, responsible for such lawful use, and all the o quences thereof and liable to therefor.

TACOMA SOUTH BEND INVESTME

I GUABANTER 12 per cent per is any of the above cities. I have made 50 per cent per annum for non-residuals afrest mortgage, improved real or imquestionable securities from 6 to 10 annum net. Also have choice bargain Mop, Hay and Garden Lands, ence Solicited regarding Western Washinguiries answered promptly. Address

A. C. SIUKELS, Tacoma, Washin

PROTECTION FROM LIGHTNING.

All the capital desired for the parent compan to handle my patents on a new method of protec ing buildings from lightning has been subscribed Sub-companies and agencies to introduce the invention are forming, and any desirous of tal ing State-rights should address The American Lightning Protection Co., Sioux City, Iowa.

The English patent is for sale, and offer an excellent opportunity for the formation of company now that the American company is favorably started.

N. D. C. HODGES, 874 Broadway, New York

